		\	
•	Application No.	Applicant(s)	3
AL C. PAU LING	10/658,276	NAKAGAWA ET AL.	
Notice of Allowability	Examiner	Art Unit	
·	Kristy A. Haupt	2853	
The MAILING DATE of this communication appeal claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this applied or other appropriate communication IGHTS. This application is subject to	plication. If not included will be mailed in due course	
1. 🖾 This communication is responsive to <u>response dated 6 Jun</u>			
2. ☑ The allowed claim(s) is/are 1×8. 3-8 a r 2 11-21	۷.		
3. X The drawings filed on 10 September 2003 are accepted by	the Examiner.		
 4. Acknowledgment is made of a claim for foreign priority una) All b) Some* c) None of the: Certified copies of the priority documents have Certified copies of the priority documents have Copies of the certified copies of the priority do International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be subminsformal patients. 	e been received. e been received in Application No cuments have been received in this of this communication to file a reply MENT of this application. hitted. Note the attached EXAMINER es reason(s) why the oath or declara	national stage application fro	ents
6. ☐ CORRECTED DRAWINGS (as "replacement sheets") mus (a) ☐ including changes required by the Notice of Draftspers 1) ☐ hereto or 2) ☐ to Paper No./Mail Date (b) ☐ including changes required by the attached Examiner' Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the standard Examiner's comment regarding REQUIREMENT.	son's Patent Drawing Review (PTO- s Amendment / Comment or in the Comment or in the Comment on the drawing the header according to 37 CFR 1.121(soit of BIOLOGICAL MATERIAL research	Office action of ngs in the front (not the back) d). nust be submitted. Note th	
attached Examiner's comment regarding REQUIREMENT Attachment(s)			
1. Notice of References Cited (PTO-892)	<u> </u>	atent Application (PTO-152))
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary Paper No./Mail Da		
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date			
4. Examiner's Comment Regarding Requirement for Deposit		ent of Reasons for Allowance)
of Biological Material		EPHEN MEIER	

U.S. Patent and Trademark Office PTOL-37 (Rev. 1-04) Art Unit: 2853

DETAILED ACTION

Allowable Subject Matter

- 1. The following is an examiner's statement of reasons for allowance:
 - The primary reason for allowance for claims 1-18 is that Applicant's claimed invention includes control means that cause the nozzles of the same kind to eject ink simultaneously and sets the number of ejections from the large ink ejection volume nozzles greater than the number of ejections from the small ink ejection nozzles while causing the same kind of nozzles in the nozzle columns of each ink color to perform a preliminary ejection operation at a time. It is this limitation, expressed in the claimed combination not found, taught or suggested in the prior art, that makes these claims allowable over the prior art.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

The Examiner makes of record that the previous spec and claim objections dated 05 April 2005 are withdrawn in view of Applicant's remarks.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kristy A. Haupt whose telephone number is (571) 272-8545. The examiner can normally be reached on M-F 7:00-3:30.

Art Unit: 2853

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Stephen Meier can be reached on (571) 272-2149. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

STEPHEN MEIER RUDERVIBORY PATENT EXAMINER

6/22/05 KAH KAN